

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6470389".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:49
L2	17214	request\$3 near5 session	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:50
L3	1907	request\$3 near5 (session adj3 ("ID" or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:50
L4	16	(request\$3 near5 (session adj3 ("ID" or identif\$))) with hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:50
L5	0	(request\$3 near5 (session adj3 ("ID" or identif\$))) same ( hash\$3 with odul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:51
L6	1	(request\$3 near5 (session adj3 ("ID" or identif\$))) same ( hash\$3 with modul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:52
L7	778	(request\$3 near5 (session adj3 ("ID" or identif\$))) with (server or host)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:52
L8	0	(request\$3 near5 (session adj3 ("ID" or identif\$))) with ((server or host) near5 integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:53
L9	0	(request\$3 near5 (session adj3 ("ID" or identif\$))) same((server or host) near5 integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:53
L10	46	(request\$3 near5 (session adj3 ("ID" or identif\$))) and ((server or host) near5 integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:53
L11	106	(request\$3 near5 (session adj3 ("ID" or identif\$))) and ((server or host) same integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:53

## EAST Search History

L12	29	(request\$3 near5 (session adj3 ("ID" or identif\$))) and ((server or host) same integer) and (rout\$3 near5 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:54
L13	1928	( l1 and calculat\$3 or determin\$3) near5 (hash\$3 adj3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:54
L14	0	l1 and (calculat\$3 or determin\$3) near5 (hash\$3 adj3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:54
L15	3849	(calculat\$3 or determin\$3) near5 (hash\$3 adj3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:55
L16	3849	(calculat\$3 or determin\$3 or fuind\$3) near5 (hash\$3 adj3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:55
L17	4270	modulus near5 function	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:55
L18	5	(modulus near5 function) and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:55
L19	3	(modulus near5 function) and l2 and (hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:55
L20	1	((modulus near5 function)near5 value) and l2 and (hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:56
L21	55	(CUOMO and GENNARO).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:56
L22	4	(CUOMO and GENNARO).inv. and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:57
L23	2	(FRAENKEL and MICHAEL).inv. and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:57

## EAST Search History

L24	1	(MARTIN and BRIAN and KEITH). inv. and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:58
L25	87	(ibm).asn. and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:58
L26	0	(ibm).asn. and I4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:58
L27	3	(ibm).asn. and I7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/28 01:58
L28	20080	((709/224) or (709/204) or (709/227) or (370/230) or (370/352)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 01:59
L29	168	I28 and I7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 01:59
L30	7	I28 and I12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 01:59
S1	0	content near5 delive4\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/16 02:08
S2	34012	content near5 delive\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/26 17:02
S3	2211	(content near5 (deliver\$4 adj3 network\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/16 02:09